ELSEVIER

Synthetic Metals 79 (1996) 259

SYNTHETIC METALS

Author Index of Volume 79

H go, H., 115, 145
i gosti, E., 107
u kbulut, U., 11
I oki, H., 145
o postol, M., 253
d rbuckle, G.A., 183
e rribas, C., 23
Y so, Y., 155

d rakhshi, A.K., 115
p ellitto, C., 33
, velov, D.G., 193
e irgerson, J., 75
n onnin, D., 241
a röms, P., 75
r uecheler, N.M., 183

C ao, D.X., 85
L ao, J.Q., 85
Y ao, Y., 27
b handra, S., 1
, hao, C.-I., 93
, hen, S.-A., 93
, hen, S.-C., 69
p houteau, G., 241

P ay, P., 33
i e Ruiter, B., 215
D íaz Calleja, R., 159
n böttinger, S., 43
d yachenko, O.A., 189, 201

r fimov, O.N., 193
g inaga, H., 235
i kinci, E., 57
v lmelyanov, Yu.L., 173
ö rlandsson, R., 75

f an, Y., 225
a fares, V., 33
f ederici, F., 33
J feld, W.A., 103
f orkner, M.W., 197
p ukuda, A., 149
p ukuda, T., 149

Gao, Y., 103

Hacaloglu, J., 11
Hall, J.W., 183
Hanack, M., 43
Heeger, A.J., 27
Hernández-Fuentes, I., 159
Hsieh, B.R., 103
Hwang, D.H., 177

Ihata, O., 165
Ishikawa, K., 149

Jin, R.P., 85

Kaiser, P., 241
Kanbara, T., 149
Kang, I.N., 177
Karagözler, A.A., 57
Karagözler, A.E., 57
Kawabata, K., 155
Khatko, V.V., 173
Khedkar, S.P., 219
Kim, G.T., 177
Kimata, Y., 97
Kobayashi, A., 141
Kobayashi, H., 141
Kock, T.J.J.M., 215
Konovalikhin, S.V., 189, 201
Kozub, G.I., 193
Krinichnaya, L.P., 193
Kudoh, Y., 17
Kuriyama, A., 97
Kurmoo, M., 33

Larmat, F., 229
Le, H.M., 177
Lee, J.-C., 69
Lefrant, S., 183
Li, Y., 121, 225
Liu, S.-G., 49
Liu, Y.-Q., 49
Łużny, W., 37
Lyubovskaya, R.N., 189, 201
Lyubovskii, R.B., 189, 201

Makarova, L.M., 201
Mansingh, A., 1
Margulis, Vl.A., 207
Matsuura, Y., 7
Matveeva, E.S., 127, 159
Mevellec, J.Y., 183
Mulazzi, E., 183

Naito, T., 141
Narula, A.K., 1
N'Guessan, G.K., 241

Ohtsuka, T., 235
Ootuka, Y., 141
Oshima, Y., 7
Otsubo, T., 155
Ouyang, J., 121

Panwar, V.S., 1
Park, H., 177
Park, J.Y., 177
Park, Y.W., 177
Parkhutik, V.P., 159
Petrova, G.N., 193
Proń, A., 37
Pu, T.S., 85

Qiu, Y.-J., 229

Radhakrishnan, S., 219
Rao, S.U.M., 1
Rasmusson, J.R., 75
Rau, J.-R., 69
Razafitrimo, H., 103
Reghu M., 27
Reynolds, J.R., 229
Rieke, R.D., 197
Rueda, D., 23

Salaneck, W.R., 75
Sambongi, T., 155
Sato, A., 141
Satoh, S., 97
Serino, P., 33
Shahri, A.M., 63
Shilov, G.V., 189
Shim, H.K., 177
Singh, R., 1
Suruga, K., 149
Suzuki, H., 97

Tajima, H., 141
Takezoe, H., 149
Takimiya, K., 155
Talaie, A., 63
Talaie, F., 63
Tanaka, K., 7, 145
Tandon, R.P., 1
Tkachenko, L.I., 193
Tomchenko, A.A., 173
Tomilin, O.B., 207
Tong, Z.S., 85
Toppare, L., 11
Torunova, S.A., 189
Toshima, N., 165
Touzain, P., 241

Valentine, K.G., 183

Wakabayashi, T., 235
Wu, M.Z., 85

Yamabe, T., 7, 115, 145
Yamaguchi, Y., 115
Yamamoto, T., 149
Yanai, M., 155
Yang, C.Y., 27
Yigit, S., 11
Yudanova, E.I., 201

Zerbi, G., 107
Zhang, J., 85
Zhang, Z.Y., 85
Zhilyaeva, E.I., 189
Zhu, D.-B., 49
Zhu, D.Z., 85
Zhu, F.Y., 85

v Elsevier Science S.A.

Digitized by the Internet Archive
in 2026

https://archive.org/details/synthetic-metals_1996_79_index

ELSEVIER

Synthetic Metals 79 (1996) 261–264

SYNTHETIC METALS

Subject Index of Volume 79

.crylated polythiophene
a radiation-crosslinkable thiophene copolymer, 215
.lloy
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
.nion effect
doping competition of anions during the electropolymerization of pyrrole in aqueous solutions, 225
.nionic surfactant
properties of polypyrrole prepared by chemical polymerization using aqueous solution containing $Fe_2(SO_4)_3$ and anionic surfactant, 17
.nnealing
growth kinetics of polypyrrole, poly(*N*-methyl pyrrole) and their copolymer, poly(*N*-methyl pyrrole-pyrrole): effect of annealing on conductivity and surface structure, 1
.nthracene
optical and electroluminescence properties of poly(methylphenylsilane) containing an anthracene unit, 97
.tomic force microscopy
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75

Bandgap
investigations on the configuration of new arenemethylenes for the synthesis of low bandgap polymers, 43
Batteries
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
Bisdithiolene metal complex
studies on transition-metal 4,5-dimercapto-1,3-dithiole-2-one (DMID) complexes. Preparation and characterization, 49
Bis(ethylenediseleno)tetrathiafulvalene
radical cation salts of bis(ethylenediseleno)tetrathiafulvalene with halide mercurate anions, 189
Bis(ethylenedithio)-tetrathiafulvalene
low-dimensional magnetic behaviour of new radical-ion salts: $(BEDT\text{-}TTF)_2[Au^{III}(i\text{-}mnt)_2]$ and $(BEDT\text{-}TTF)_2[BiBr_4]$, 33
the new salt $\kappa\text{-}ET_2[Hg(SCN)_2I]$: crystal structure and physical properties, 201
Bismuth
low-dimensional magnetic behaviour of new radical-ion salts: $(BEDT\text{-}TTF)_2[Au^{III}(i\text{-}mnt)_2]$ and $(BEDT\text{-}TTF)_2[BiBr_4]$, 33
Blends
thermal stability of polyaniline networks in conducting polymer blends, 27

Capacitors
polypyrrole as a solid electrolyte for tantalum capacitors, 229
Catalyst
catalytic synthesis of conductive polypyrrole using iron(III) catalyst and molecular oxygen, 165
Cationic interference
study of Au(I)–polypyrrole interaction, 69

Charge transport processes
charge transport processes in polypyrrole nanoscale composites, 219
Chemical polymerization
properties of polypyrrole prepared by chemical polymerization using aqueous solution containing $Fe_2(SO_4)_3$ and anionic surfactant, 17
Cobalt
electrochemically reduced cobalt–graphite intercalation compound, 241
Composites
conducting polymer composites of polythiophene with natural and synthetic rubbers, 11
conducting polymer–protein interactions in composite films: a spectroscopic study, 107
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
charge transport processes in polypyrrole nanoscale composites, 219
optical characterization of polypyrrole–polytungstate anion composite films, 235
Conductivity
growth kinetics of polypyrrole, poly(*N*-methyl pyrrole) and their copolymer, poly(*N*-methyl pyrrole-pyrrole): effect of annealing on conductivity and surface structure, 1
a.c. conductivity of C_{60}-doped poly(*o*-ethylaniline), 7
properties of polypyrrole prepared by chemical polymerization using aqueous solution containing $Fe_2(SO_4)_3$ and anionic surfactant, 17
radical cation salts of bis(ethylenediseleno)tetrathiafulvalene with halide mercurate anions, 189
Conjugated polymers
electronic structure and third-order nonlinear optical response of conjugated polymer chains bearing periodically arranged side groups, 207
Copper
preparation and thermostable properties of Langmuir–Blodgett films of copper tetra-tert-butyl phthalocyanine complex, 173
m-Cresol
variation of a.c. electrical properties of emeraldine base of polyaniline during its drying from suspension in *m*-cresol, 159
Crystal orbitals
design of novel donor–acceptor polymers with low bandgaps, 115
Crystal structure
radical cation salts of bis(ethylenediseleno)tetrathiafulvalene with halide mercurate anions, 189
the new salt $\kappa\text{-}ET_2[Hg(SCN)_2I]$: crystal structure and physical properties, 201
Cyclic voltammetry
study of Au(I)–polypyrrole interaction, 69

Damaged layer
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85
Data processing
adaptive spline modelling of observation data (ASMOD): a solution to the problems in conducting polymer-based sensors, 63

Elsevier Science S.A.

Devices
the electroluminescent and photodiode device made of a polymer blend, 177
Diamagnetic shielding effect
Meissner and diamagnetic shielding effects of α-EDT-TTF[Ni-(dmit)$_2$], 141
4,5-Dimercapto-1,3-dithiole-2-one
studies on transition-metal 4,5-dimercapto-1,3-dithiole-2-one (DMID) complexes. Preparation and characterization, 49
2,3-Dimethyl-tetraselenoanthracene chloride
electric and magnetic properties of a new conducting salt (DMTSA)$_2$Cl (DMTSA = 2,3-dimethyl-tetraselenoanthracene), 155
Diodes
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75
a layer-wise topographic study of a polymeric light-emitting diode: indium–tin oxide/poly(2,3-diphenyl-*p*-phenylene vinylene)/Ag, 103
the electroluminescent and photodiode device made of a polymer blend, 177
1,1-Dithio-2,2-dicyano-ethylene
low-dimensional magnetic behaviour of new radical-ion salts: (BEDT-TTF)$_2$[Au^{III}(i-mnt)$_2$] and (BEDT-TTF)$_2$[BiBr$_4$], 33
Doping
a.c. conductivity of C_{60}-doped poly(*o*-ethylaniline), 7
Doping competition
doping competition of anions during the electropolymerization of pyrrole in aqueous solutions, 225
Dynamic pattern
adaptive spline modelling of observation data (ASMOD): a solution to the problems in conducting polymer-based sensors, 63

Electrical properties
residual water as a factor influencing the electrical properties of polyaniline. The role of hydrogen bonding of the polymer with solvent molecules in the formation of a conductive polymeric network, 127
variation of a.c. electrical properties of emeraldine base of polyaniline during its drying from suspension in *m*-cresol, 159
Electric properties
electric and magnetic properties of a new conducting salt (DMTSA)$_2$Cl (DMTSA = 2,3-dimethyl-tetraselenoanthracene), 155
Electrochemical reduction
electrochemically reduced cobalt–graphite intercalation compound, 241
Electrocrystallization
radical cation salts of bis(ethylenediseleno)tetrathiafulvalene with halide mercurate anions, 189
Electrodes
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
Electroluminescence
optical and electroluminescence properties of poly(methylphenylsilane) containing an anthracene unit, 97
the electroluminescent and photodiode device made of a polymer blend, 177
Electron-beam lithography
a radiation-crosslinkable thiophene copolymer, 215
Electron donor–acceptor moieties
design of novel donor–acceptor polymers with low bandgaps, 115
Electronic properties
electronic property of polyacene in a constant magnetic field perpendicular to the condensed aromatic-ring plane, 145
Electronic structure
electronic structure and third-order nonlinear optical response of conjugated polymer chains bearing periodically arranged side groups, 207
Electropolymerization
doping competition of anions during the electropolymerization of pyrrole in aqueous solutions, 225
Ethylenedithio-tetrathiafulvalene
Meissner and diamagnetic shielding effects of α-EDT-TTF[Ni-(dmit)$_2$], 141

Films
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85
preparation and characterization of flexible polypyrrole nitrate films, 121
preparation and thermostable properties of Langmuir–Blodgett films of copper tetra-tert-butyl phthalocyanine complex, 173
optical characterization of polypyrrole–polytungstate anion composite films, 235
Fullerene
a.c. conductivity of C_{60}-doped poly(*o*-ethylaniline), 7

Gold
low-dimensional magnetic behaviour of new radical-ion salts: (BEDT-TTF)$_2$[Au^{III}(i-mnt)$_2$] and (BEDT-TTF)$_2$[BiBr$_4$], 33
Gold–polypyrrole complexation
study of Au(I)–polypyrrole interaction, 69
Graphite
electrochemically reduced cobalt–graphite intercalation compound, 241

Halomercurate anions
radical cation salts of bis(ethylenediseleno)tetrathiafulvalene with halide mercurate anions, 189
Hydrogenated amorphous carbon
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85
Hydrogen bonding
residual water as a factor influencing the electrical properties of polyaniline. The role of hydrogen bonding of the polymer with solvent molecules in the formation of a conductive polymeric network, 127

Intercalation compounds
electrochemically reduced cobalt–graphite intercalation compound, 241
Interface surfaces
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75
Irradiation
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85
1*H*,3*H*-Isothianaphthene-2-oxide (dioxide) derivatives
investigations on the configuration of new arenemethylenes for the synthesis of low bandgap polymers, 43

Lithium
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
Low-dimensional organic conductors
the new salt κ-ET$_2$[Hg(SCN)$_2$I]: crystal structure and physical properties, 201
Low-dimensional solids
on the low-dimensional solids and their melting, 253

Magnetic behaviour
low-dimensional magnetic behaviour of new radical-ion salts: $(BEDT\text{-}TTF)_2[Au^{III}(i\text{-}mnt)_2]$ and $(BEDT\text{-}TTF)_2[BiBr_4]$, 33
Magnetic field
electronic property of polyacene in a constant magnetic field perpendicular to the condensed aromatic-ring plane, 145
Magnetic properties
electric and magnetic properties of a new conducting salt $(DMTSA)_2Cl$ (DMTSA = 2,3-dimethyl-tetraselenoanthracene), 155
Meissner effect
Meissner and diamagnetic shielding effects of α-EDT-TTF[Ni-$(dmit)_2$], 141
Melting
on the low-dimensional solids and their melting, 253
Microscopy
thermal stability of polyaniline networks in conducting polymer blends, 27
a layer-wise topographic study of a polymeric light-emitting diode: indium–tin oxide/poly(2,3-diphenyl-*p*-phenylene vinylene)/Ag, 103
Models
adaptive spline modelling of observation data (ASMOD): a solution to the problems in conducting polymer-based sensors, 63
Molecular oxygen
catalytic synthesis of conductive polypyrrole using iron(III) catalyst and molecular oxygen, 165
Morphology
thermal stability of polyaniline networks in conducting polymer blends, 27
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75

Naphthoquinone
the synthesis of new electron-deficient naphthoquinones, 197
Neuro-fuzzy modelling
adaptive spline modelling of observation data (ASMOD): a solution to the problems in conducting polymer-based sensors, 63
Nitrate salt
preparation and characterization of flexible polypyrrole nitrate films, 121
Non-integer oxidation state
studies on transition-metal 4,5-dimercapto-1,3-dithiole-2-one (DMID) complexes. Preparation and characterization, 49

Optical properties
optical and electroluminescence properties of poly(methylphenylsilane) containing an anthracene unit, 97
electronic structure and third-order nonlinear optical response of conjugated polymer chains bearing periodically arranged side groups, 207

Photocarrier transport
photocarrier-transporting kinetics in poly(2,3-di(*p*-tolyl)quinoxaline-5,8-diyl), 149
Photoluminescence
poly(2-alkoxy-*p*-phenylene)s as deep-blue light-emitting polymers, 93
Phthalocyanine
preparation and thermostable properties of Langmuir–Blodgett films of copper tetra-tert-butyl phthalocyanine complex, 173
Physical properties
the new salt κ-$ET_2[Hg(SCN)_2I]$: crystal structure and physical properties, 201
Plasma polymerization
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85

Poly(1,4-diaminobenzene)
electrochemical synthesis and sensor application of poly(1,4-diaminobenzene), 57
Poly(2,3-diphenyl-*p*-phenylene vinylene)
a layer-wise topographic study of a polymeric light-emitting diode: indium–tin oxide/poly(2,3-diphenyl-*p*-phenylene vinylene)/Ag, 103
Poly(2,3-di(*p*-tolyl)quinoxaline-5,8-diyl)
photocarrier-transporting kinetics in poly(2,3-di(*p*-tolyl)quinoxaline-5,8-diyl), 149
Poly(2-alkoxy-*p*-phenylene)
poly(2-alkoxy-*p*-phenylene)s as deep-blue light-emitting polymers, 93
Poly(3-decylthiophene)
effect of temperature on the structure of poly(3-decylthiophene), 37
Polyacene
electronic property of polyacene in a constant magnetic field perpendicular to the condensed aromatic-ring plane, 145
Polyacetylene
spectroscopic properties of polyacetylenes synthesized via three modifications of Ziegler–Natta catalytic system, 183
laminated composites based on polyacetylene and Al–Mg alloy negative electrode materials for Li rechargeable batteries, 193
Polyaniline
thermal stability of polyaniline networks in conducting polymer blends, 27
residual water as a factor influencing the electrical properties of polyaniline. The role of hydrogen bonding of the polymer with solvent molecules in the formation of a conductive polymeric network, 127
variation of a.c. electrical properties of emeraldine base of polyaniline during its drying from suspension in *m*-cresol, 159
Polyarenemethylene
investigations on the configuration of new arenemethylenes for the synthesis of low bandgap polymers, 43
Polymerization
preparation of conductive polypyrrole–polystyrene sulfonate by chemical polymerization, 23
Polymerization temperature
preparation and characterization of flexible polypyrrole nitrate films, 121
Poly(methylphenylsilane)
optical and electroluminescence properties of poly(methylphenylsilane) containing an anthracene unit, 97
Poly(*N*-methyl pyrrole)
growth kinetics of polypyrrole, poly(*N*-methyl pyrrole) and their copolymer, poly(*N*-methyl pyrrole-pyrrole): effect of annealing on conductivity and surface structure, 1
Poly(*o*-ethylaniline)
a.c. conductivity of C_{60}-doped poly(*o*-ethylaniline), 7
Poly(phenylenevinylene)
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75
Polypyrrole
growth kinetics of polypyrrole, poly(*N*-methyl pyrrole) and their copolymer, poly(*N*-methyl pyrrole-pyrrole): effect of annealing on conductivity and surface structure, 1
properties of polypyrrole prepared by chemical polymerization using aqueous solution containing $Fe_2(SO_4)_3$ and anionic surfactant, 17
preparation of conductive polypyrrole–polystyrene sulfonate by chemical polymerization, 23
study of Au(I)–polypyrrole interaction, 69
preparation and characterization of flexible polypyrrole nitrate films, 121
catalytic synthesis of conductive polypyrrole using iron(III) catalyst and molecular oxygen, 165
charge transport processes in polypyrrole nanoscale composites, 219

doping competition of anions during the electropolymerization of pyrrole in aqueous solutions, 225
polypyrrole as a solid electrolyte for tantalum capacitors, 229
optical characterization of polypyrrole–polytungstate anion composite films, 235
Polystyrene sulfonate
preparation of conductive polypyrrole–polystyrene sulfonate by chemical polymerization, 23
Polythiophene
conducting polymer composites of polythiophene with natural and synthetic rubbers, 11
a radiation-crosslinkable thiophene copolymer, 215
Polytungstate
optical characterization of polypyrrole–polytungstate anion composite films, 235
1,2-Propanediol carbonate
preparation and characterization of flexible polypyrrole nitrate films, 121
Proteins
conducting polymer–protein interactions in composite films: a spectroscopic study, 107

Rubbers
conducting polymer composites of polythiophene with natural and synthetic rubbers, 11

Scaling
a layer-wise topographic study of a polymeric light-emitting diode: indium–tin oxide/poly(2,3-diphenyl-*p*-phenylene vinylene)/Ag, 103
Scanning force microscopy
the interface surfaces of a CN-substituted poly(phenylenevinylene) light-emitting diode, a morphological study, 75
Sensors
electrochemical synthesis and sensor application of poly(1,4-diaminobenzene), 57
adaptive spline modelling of observation data (ASMOD): a solution to the problems in conducting polymer-based sensors, 63
study of Au(I)–polypyrrole interaction, 69
Spectra
studies on transition-metal 4,5-dimercapto-1,3-dithiole-2-one (DMID) complexes. Preparation and characterization, 49
Spectroscopy
conducting polymer–protein interactions in composite films: a spectroscopic study, 107
spectroscopic properties of polyacetylenes synthesized via three modifications of Ziegler–Natta catalytic system, 183
Structure
effect of temperature on the structure of poly(3-decylthiophene), 37
Surface structure
growth kinetics of polypyrrole, poly(*N*-methyl pyrrole) and their copolymer, poly(*N*-methyl pyrrole-pyrrole): effect of annealing on conductivity and surface structure, 1
Synthesis
investigations on the configuration of new arenemethylenes for the synthesis of low bandgap polymers, 43
studies on transition-metal 4,5-dimercapto-1,3-dithiole-2-one (DMID) complexes. Preparation and characterization, 49
electrochemical synthesis and sensor application of poly(1,4-diaminobenzene), 57
catalytic synthesis of conductive polypyrrole using iron(III) catalyst and molecular oxygen, 165
the synthesis of new electron-deficient naphthoquinones, 197

Tantalum
polypyrrole as a solid electrolyte for tantalum capacitors, 229
Temperature effect
effect of temperature on the structure of poly(3-decylthiophene), 37
Tensile strength
preparation and characterization of flexible polypyrrole nitrate films, 121
Thermal stability
thermal stability of polyaniline networks in conducting polymer blends, 27
Thermostable properties
preparation and thermostable properties of Langmuir–Blodgett films of copper tetra-tert-butyl phthalocyanine complex, 173
Thiophene
the study of damaged layer induced by Ar^+ irradiation in plasma-polymerized thiophene film, 85
p-Toluene sulfonate
doping competition of anions during the electropolymerization of pyrrole in aqueous solutions, 225

Water
residual water as a factor influencing the electrical properties of polyaniline. The role of hydrogen bonding of the polymer with solvent molecules in the formation of a conductive polymeric network, 127

Ziegler–Natta catalyst
spectroscopic properties of polyacetylenes synthesized via three modifications of Ziegler–Natta catalytic system, 183